VOL. 552, NOS. 1+2 JOURNAL OF CHROMATOGRAPHY AUGUST 9, 1991

CONTENTS

18TH INTERNATIONAL SYMPOSIUM ON CHROMATOGRAPHY, AMSTERDAM, SEPTEMBER 23–28, 1990, PART I

Preface
by U. A. Th. Brinkman and H. Poppe XIII

Josef F. K. Huber
by H. Poppe and U. A. Th. Brinkman XVII

THEORY

Retentions of alkyloxazoles and alkylthiazoles and their prediction based on non-linear additivity concepts in gas chromatography
by R. V. Golovnya, I. L. Zhuravleva, E. V. Yakush and V. V. Schenderjuk (Moscow, U.S.S.R.) 1

Extension of the electrostatic retention model of reversed-phase ion-pair high-performance liquid chromatography to include the effect of the eluent pH
by Á. Bartha and J. Ståhlberg (Södertälje, Sweden) and F. Szokoli (Veszprém, Hungary) . 13

Adsorption and partition mode in high-performance liquid chromatography of highly polar solutes on silica
by V. D. Shatz and H. A. Kažoka (Riga, U.S.S.R.) 23

Determination of sorbent polarity and selectivity by linear regression of retention indices
by O. G. Larionov, V. V. Petrenko and N. P. Platonova (Moscow, U.S.S.R.) 31

Theoretical approach to the gas chromatographic separation of enantiomers on dissolved cyclodextrin derivatives
by M. Jung, D. Schmalzing and V. Schurig (Tübingen, Germany) 43

New aspects of quantitative structure–retention relationships in chromatography
by N. Dimov (Sofia, Bulgaria) and M. Moskovkina (Shumen, Bulgaria) 59

Comparison of various isotherm models for predicting competitive adsorption data
by J. Zhu and A. M. Katti (Knoxville, TN, U.S.A.) and G. Guiochon (Knoxville and Oak Ridge, TN, U.S.A.) 71

Calculation of retention and selectivity in reversed-phase liquid chromatography
by S. V. Galushko (Kiev, U.S.S.R.) 91

Computer-aided optimization of the experimental conditions for the isocratic reversed-phase high-performance liquid chromatographic separation of hormonal steroids
by J.-Q. Wei, J.-L. Wei and X.-T. Zhou (Jinan, China) 103

Development of a rational optimisation procedure for the automated sample clean-up with column switching in pesticide residue analysis
by E. A. Hogendoorn, R. Hoogerbrugge, C. E. Goewie and P. van Zoonen (Bilthoven, The Netherlands) and P. J. Schoenmakers (Eindhoven, The Netherlands) 113

GAS CHROMATOGRAPHY

Techniques

Production and use of capillary traps for headspace gas chromatography of airborne volatile organic compounds
by B. V. Burger, M. le Roux, Z. M. Munro and M. E. Wilken (Stellenbosch, South Africa) 137

Investigation of cross-linking chiral stationary phases within capillary columns
by X. Lou, Y. Liu and L. Zhou (Dalian, China) 153

Gas–liquid chromatography in qualitative analysis. XIX. The use of antioxidants to delay the oxidation of polyoxyethylene glycol stationary phases
by A. D. Dale (Potters Bar, U.K.) and M. B. Evans (Hatfield, U.K.) 161

Gas chromatography in qualitative analysis. XX. The deactivation of diatomaceous supports by batyl alcohol
by M. B. Evans, R. Bird and H. O'Sullivan (Hatfield, U.K.) 169

Gas chromatographic investigation of silica supports modified in a high-frequency low-temperature plasma
by T. B. Gavrilova, Yu. S. Nikitin and E. V. Vlasenko (Moscow, U.S.S.R.) and I. Topalova, N. Petsev and Chr. Chanev (Sofia, Bulgaria) 179

Live retention database for identification in multi-step temperature-programmed capillary gas chromatography
by Y. Guan and L. Zhou (Dalian, China) 187

Gas–liquid microcapillary columns precoated with graphitized carbon black
by G. P. Cartoni, L. Castellani, G. Goretti, M. V. Russo and P. Zacchei (Rome, Italy) . . 197

Modern approach to the quantitative determination of volatiles in solid samples. Multiple headspace extraction gas chromatography for the determination of cyclohexanone residues in soil
by M. R. Milana, A. Maggio, M. Denaro, R. Feliciani and L. Gramiccioni (Rome, Italy) 205

Environmental Applications

Chromatographie en phase gazeuse haute résolution–spectrométrie de masse des congénères de biphényles polychlorés dans quelques échantillons d'origine biologique
par M. R. Driss (Tunis, Tunisie), S. Sabbah (Hammam-lif, Tunisie) et M. L. Bouguerra (Tunis, Tunisie) 213

Analyse par chromatographie en phase gazeuse haute résolution–spectrométrie de masse des mélanges techniques de Phénochlor
par S. Sabbah (Hammam-lif, Tunisie) et M. L. Bouguerra (Tunis, Tunisie) 223

Determination of phenoxy ester herbicides by gas and high-performance liquid chromatography
by C. Sánchez-Brunete, S. Pérez and J. L. Tadeo (Madrid, Spain) 235

Solid-matrix partition for separation of organochlorine pesticide residues from fatty materials
by A. di Muccio, A. Ausili, R. Dommarco, D. Attard Barbini, A. Santilio, F. Vergori, G. de Merulis and L. Sernicola (Rome, Italy) 241

Rapid method for the determination of organochlorine pesticides in milk
by T. Prapamontol and D. Stevenson (Guildford, U.K.) 249

Multi-matrix–multi-pesticide method for agricultural products
by L. G. M. Th. Tuinstra (Wageningen, The Netherlands), F. R. Povel (Veenendaal, The Netherlands) and A. H. Roos (Wageningen, The Netherlands) 259

Identification by capillary gas chromatography–mass spectrometry of volatile organohalogen compounds formed during bleaching of kraft pulp
by C. Rosenberg, T. Aalto, J. Tornaeus and A. Hesso (Helsinki, Finland), P. Jäppinen (Imatra, Finland) and H. Vainio (Lyon, France) 265

Other Applications

Applications of capillary gas chromatography to the quality control of butter and related products
by A. Antonelli and L. S. Conte (Bologna, Italy) and G. Lercker (Udine, Italy) 273

Gas chromatographic analysis of fatty acid salts
by H. Rotzsche (Troisdorf, Germany) 281

Rapid derivatization and gas chromatographic determination of amino acids
by P. Hušek (Prague, Czechoslovakia) 289

Analysis of multicomponent mixtures by high-resolution capillary gas chromatography and combined gas chromatography–mass spectrometry. I. Aromatics in a hydrocarbon matrix
by E. Matisová, E. Juranyiová, P. Kuráň, E. Brandšteterová, A. Kočan and Š. Holotík (Bratislava, Czechoslovakia) 301

Gas chromatographic separation of unsaturated polar compounds on inorganic stationary phases containing silver nitrate
by V. G. Berezkin, E. N. Viktorova and V. S. Gavrichev (Moscow, U.S.S.R.) and S. A. Range, K. R. Kuningas and A. E. Meister (Tallinn, U.S.S.R.) 313

Reaction-gas chromatography for physico-chemical investigations on aggressive gases
by L. G. Berezkina, S. I. Borisova, S. V. Melnikova and V. I. Souhodolova (Moscow, U.S.S.R.) 319

Thermodesorption–gas chromatography–mass spectrometric analysis of biological materials for potential molecular precursors of the constituents of the crude oils
by W. Püttmann (Aachen, Germany) 325

Simultaneous gas–liquid chromatographic determination of sugars and organic acids as trimethylsilyl derivatives in vegetables and strawberries
by M. Morvai, I. Molnár-Perl and D. Knausz (Budapest, Hungary) 337

Gas chromatographic determination of N-carboxymethyl amino acids, the periodate oxidation products of Amadori compounds
by R. Badoud, L. Fay and U. Richli (Lausanne, Switzerland) and P. Husek (Prague, Czechoslovakia) 345

Gas chromatographic analysis of some glycol ether analytes on a specially packed column
by K. Lekova and N. Ivanova (Sofia, Bulgaria) 353

Estimation of cellulose polarity by gas chromatography
by L. A. Dernovaya and Yu. A. Eltekov (Moscow, U.S.S.R.) and J. Hradil and F. Svec (Prague, Czechoslovakia) 365

COLUMN LIQUID CHROMATOGRAPHY

Sorbents

Removal of organic pollutants from aqueous solution. V. Comparative study of the extraction, recovery and chromatographic separation of some organic insecticides using unloaded polyurethane foam columns
by A. B. Farag (Mansoura, Egypt) and M. S. El-Shahawi (Damietta, Egypt) 371

Preparation and evaluation of octadecyl- or phenylpropyl-treated porous glass for the high-performance liquid chromatographic analysis of bufadienolides in *Bufonis venenum*
by M. Okamoto (Gifu, Japan) 381

Bead cellulose derivatives as supports for immobilization and chromatographic purification of proteins
by H.-F. Boeden, K. Pommerening, M. Becker, C. Rupprich and M. Holtzhauer (Berlin, Germany), F. Loth (Teltow-Seehof, Germany) and R. Müller and D. Bertram (Leipzig, Germany) 389

Chemically bonded phases for the reversed-phase high-performance liquid chromatographic separation of basic substances
by B. Buszewski, J. Schmid, K. Albert and E. Bayer (Tübingen, Germany) 415

Possible role for stationary phase metal interactions in the chromatography of hydroxyamines on silica
by B. Law and P. F. Chan (Macclesfield, U.K.) 429

High-performance liquid chromatography of amino acids and dipeptides on new ion exchangers of the HEMA series
by K. Štulik, V. Pacáková and H. Wang (Prague, Czechoslovakia) 439

New Czechoslovak sorbent, Ekosorb
by K. Chmel (Votice, Czechoslovakia) and V. Gajdůšková (Brno, Czechoslovakia) . . . 449

Comparison of selectivity of silica and Florisil in the separation of natural pyranocoumarins
by G. Głowniak (Lublin, Poland) 453

Evaluation of the application of liquid-phase titration to the examination of the adsorption activity of silica-based high-performance liquid chromatographic packings
by Z. Suprynowicz, K. Pilorz and R. Lodkowski (Lublin, Poland) 463

Techniques: Ion Chromatography

Optimization of ion chromatography
by N. Gros and B. Gorenc (Ljubljana, Yugoslavia) 475

Carbohydrate analysis with ion chromatography using Eurokat stationary phases. Preparative separation of monosaccharides and their fluorinated derivatives
by F. Oberdorfer (Heidelberg, Germany) and K. Kemper, M. Kaleja, J. Reusch and K. Gottschall (Berlin, Germany) 483

Reversed-phase liquid chromatography coupled on-line with capillary gas chromatography. I. Introduction of large volumes of aqueous mixtures through an on-column interface
by E. C. Goosens, D. de Jong, J. H. M. van den Berg and G. J. de Jong (Weesp, The Netherlands) and U. A. Th. Brinkman (Amsterdam, The Netherlands) 489

Techniques: Size-Exclusion Chromatography

Isolation and quantification of polymers from autoxidized fish oils by high-performance size-exclusion chromatography with an evaporative mass detector
by I. C. Burkow (Tromsø, Norway) and R. J. Henderson (Stirling, U.K.) 501

Determination of chemical composition of polymers by size-exclusion chromatography with coupled density and refractive index detection. III. Polyethylene oxide and polytetrahydrofuran
by B. Trathnigg (Graz, Austria) 507

Miniaturisation of size-exclusion chromatography as a powerful clean-up tool in residue analysis
by J. A. van Rhijn and L. G. M. Th. Tuinstra (Wageningen, The Netherlands) 517

Techniques: Supercritical Fluid Chromatography

Effects of modifiers in packed and open-tubular supercritical fluid chromatography
by H.-G. Janssen, P. J. Schoenmakers and C. A. Cramers (Eindhoven, The Netherlands) . 527

Combination of supercritical fluid chromatography with thin-layer chromatography on a semi-preparative scale
by L. Wünsche, U. Keller and I. Flament (Geneva, Switzerland) 539

Ion-mobility spectrometry as a detection method for packed-column supercritical fluid chromatography
by M. A. Morrissey and H. M. Widmer (Basle, Switzerland) 551

Other Techniques

Effects of β-cyclodextrin in the mobile phase on the retention and indirect detection of non-electrolytes in reversed-phase liquid chromatography. I. Study of aliphatic alcohols
by M. Gosselet and B. Sebille (Créteil, France) 563

Column switching for the high-performance liquid chromatographic analysis of polynuclear aromatic hydrocarbons in petroleum products
by A. J. Packham and P. R. Fielden (Manchester, U.K.) 575

Effects of β-cyclodextrin in the mobile phase on the retention and indirect detection of non-electrolytes in reversed-phase liquid chromatography. II. Steroids
by B. Agnus (Montrouge, France) and B. Sebille and M. Gosselet (Thiais, France) . . . 583

Use of an evaporative light scattering detector in reversed-phase high-performance liquid chromatography of oligomeric surfactants
by Y. Mengerink, H. C. J. de Man and Sj. van der Wal (Geleen, The Netherlands) . . . 593

Selection of buffers and of an ion-pairing agent for thermospray liquid chromatographic–mass spectrometric analysis of ionic compounds
by A. L. L. Duchateau, B. H. M. Munsters, G. T. C. Kwakkenbos and R. G. J. van Leuken (Geleen, The Netherlands) 605

On-line coupling of liquid chromatography to thin-layer chromatography for the identification of polycyclic aromatic hydrocarbons in marine sediment by fluorescence excitation and emission spectroscopy
by R. J. van de Nesse, G. J. M. Hoogland, J. J. M. de Moel, C. Gooijer, U. A. Th. Brinkman and N. H. Velthorst (Amsterdam, The Netherlands) 613

Time-resolved luminescence detection of derivatized thiols in column liquid chromatography
by M. Schreurs, L. Hellendoorn, C. Gooijer and N. H. Velthorst (Amsterdam, The Netherlands) 625

Spray jet assembly interface for the coupling of reversed-phase narrow-bore liquid chromatography and Fourier transform infrared spectrometry
by G. W. Somsen, R. J. van de Nesse, C. Gooijer, U. A. Th. Brinkman and N. H. Velthorst (Amsterdam, The Netherlands) and T. Visser, P. R. Kootstra and A. P. J. M. de Jong (Bilthoven, The Netherlands) 635

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*)